



Patient		Physician	
Last Name	Account	Last Name	Physician
First Name	Test	First Name	Test
Middle Name		Middle Name	
Date of Birth	11/11/1998	NPI#	1111111111
MRN	B46724	Address	955 Yonkers Ave YONKERS, NY 10704
Sex	Female		

Requisition ID	Collected	Received	Reported
220822AT00596	8/22/2022 2:26 PM	8/22/22 2:27 PM	8/22/2022 2:30 PM

Testing Ordered	SARS-CoV-2, Flu, RSV Panel:NP	Collection Site	Nasopharyngeal
-----------------	-------------------------------	-----------------	----------------

COVID19

TEST	RESULT	FLAG	REF. RANGE
Influenza virus A	Invalid	Abnormal	Negative
Influenza virus B	Invalid	Abnormal	Negative
Respiratory syncytial virus	Positive	Abnormal	Negative
SARS coronavirus 2	Negative		Negative

The Xpert Xpress SARS-CoV-2/Flu/RSV test is a rapid, multiplexed real-time RT-PCR test for the qualitative simultaneous detection of RNA from the SARS-CoV-2, influenza A, influenza B, and respiratory syncytial virus (RSV) presented in nasopharyngeal swab, nasal swab, or nasal wash/aspirate specimens. The test is performed on GeneXpert System. This test has not been FDA cleared or approved. This test has been authorized by FDA under an EUA for use by authorized laboratories, which are certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA), 42 U.S.C. § 263a, that meet the requirements to perform high or moderate complexity tests. Results from the Xpert Xpress SARS-CoV-2/Flu/RSV test should be correlated with the clinical history, epidemiological data, and other data available to the clinician evaluating the patient. False negative results may occur if the virus is present at levels below the analytical limit of detection. Negative results do not preclude SARS-CoV-2, influenza, or RSV infection and should not be used as the sole basis for treatment or other patient management decisions. As the Xpert Xpress SARS-CoV-2/Flu/RSV test does not differentiate between the N2 and E gene targets, the presence of other coronaviruses in the B lineage, Betacoronavirus genus, including SARS-CoV-1 may cause a false positive result. None of these other coronaviruses is known to currently circulate in the human population. Required by NYDOH both negative and positive COVID-19 diagnostic testing results are required to be reported.

***** END OF REPORT *****

Laboratory Director	Adila Nathu, MD
---------------------	-----------------

ATVIVO

The above results and comments are for informational purposes only and are not to be interpreted as medical advice. Please consult your healthcare practitioner for diagnosis and treatment.